

Disaster Recovery Site A - DSC System III (Dual Chassis)

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL	SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
972-535-0802	0002			972-535-0842	0042		
972-535-0803	0003			972-535-0843	0043		
972-535-0804	0004			972-535-0844	0044		
972-535-0805	0005			972-535-0845	0045		
972-535-0806	0006			972-535-0846	0046		
972-535-0807	0007			972-535-0847	0047		
972-535-0808	0008			972-535-0848	0048		
972-535-0809	0009			972-535-0849	0049		
972-535-0810	0010			972-535-0850	0050		
972-535-0811	0011			972-535-0851	0051		
972-535-0812	0012			972-535-0852	0052		
972-535-0813	0013			972-535-0853	0053		
972-535-0814	0014			972-535-0854	0054		
972-535-0815	0015			972-535-0855	0055		
972-535-0816	0016			972-535-0856	0056		
972-535-0817	0017			972-535-0857	0057		
972-535-0818	0018			972-535-0858	0058		
972-535-0819	0019			972-535-0859	0059		
972-535-0820	0020			972-535-0860	0060		
972-535-0821	0021			972-535-0861	0061		
972-535-0822	0022			972-535-0862	0062		
972-535-0823	0023			972-535-0863	0063		
972-535-0824	0024			972-535-0864	0064		
972-535-0825	0025			972-535-0865	0065		
972-535-0826	0026			972-535-0866	0066		
972-535-0827	0027			972-535-0867	0067		
972-535-0828	0028			972-535-0868	0068		
972-535-0829	0029			972-535-0869	0069		
972-535-0830	0030			972-535-0870	0070		
972-535-0831	0031			972-535-0871	0071		
972-535-0832	0032			972-535-0872	0072		
972-535-0833	0033			972-535-0873	0073		
972-535-0834	0034			972-535-0874	0074		
972-535-0835	0035			972-535-0875	0075		
972-535-0836	0036			972-535-0876	0076		
972-535-0837	0037			972-535-0797	0077		
972-535-0838	0038			972-535-0798	0078		
972-535-0839	0039			972-535-0799	0079		
972-535-0840	0040			972-535-0800	0080		
972-535-0841	0041			972-535-0801	0081		

When completing this form, please use the following guidelines to ensure a smooth switch over if necessary: 1. Specify your local number for each receiver line that you intend to forward to us in an emergency under the "Your Phone#" column. If a phone line has a local and an 800#, list both numbers - we will use your local numbers to verify that call forwarding is working properly. 2. Under the "RR-LL or RL" column, specify the receiver and line number that is used for accounts that come in on that line in your monitoring database. For SIMS II sites this is the RR-LL-xxxxxx portion of the account number. For CSM sites this is the xxxx-RL portion after the account number.

NOTE: SIMS Disaster Recovery Site A is a virtual sites and therefore when entering Hunt Groups only the 1st line on the Hunt Group should need be to be forwarded. While this is a normal function it should be confirmed and/or tested with your telco provider. If you are forwarding a Virtual PRI from your site it is suggested that you contact your PRI provider and request clarification on how to request a forward of your PRI. SIMS will not use your DNIS information when PRI forwarding. In either case of forwarding POTS or PRI don't forget to enter your DNIS translation for Disaster Recovery in the DNIS Translation Table.

Disaster Recovery Site A - DSC System III (Dual Chassis)

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
214-380-1320	0082		
214-380-1321	0083		
214-380-1322	0084		
214-380-1323	0085		
214-380-1324	0086		
214-380-1325	0087		
214-380-1326	0088		
214-380-1327	0089		
214-380-1328	0090		
214-380-1329	0100		
214-380-1330	0101		
214-380-1331	0102		
214-380-1332	0103		
214-380-1333	0104		
214-380-1334	0105		
214-380-1335	0106		
214-380-1336	0107		
214-380-1337	0108		
214-380-1338	0109		
214-380-1339	0110		
214-380-1340	0111		
214-380-1341	0112		
214-380-1342	0113		
214-380-1343	0114		
214-380-1345	0115		
214-380-1346	0116		
214-380-1347	0117		
214-380-1348	0118		
214-380-1349	0119		
214-380-1350	0120		
214-380-1351	0121		
214-380-1352	0122		
214-380-1353	0123		
214-380-1354	0124		
214-380-1355	0125		
214-380-1356	0126		
214-380-1357	0127		
214-380-1358	0128		
214-380-1359	0129		
214-380-1360	0130		
214-380-1361	0131		
214-380-1362	0132		
214-380-1363	0134		
214-380-1364	0135		
214-380-1365	0136		
214-380-1366	0138		
214-380-1367	0139		
214-380-1368	0140		
214-380-1369	0141		
214-380-1370	0142		
214-380-1371	0143		
214-380-1372	0144		
214-380-1373	0145		
214-380-1374	0146		
214-380-1375	0147		
214-380-1376	0148		
214-380-1377	0149		
214-380-1378	0150		
214-380-1379	0151		
214-380-1380	0152		
214-380-1381	0153		

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
214-380-1382	0154		
214-380-1383	0155		
214-380-1384	0156		
214-380-1385	0157		
214-380-1386	0158		
214-380-1387	0159		
214-380-1388	0160		
214-380-1389	0161		
214-380-1390	0162		
214-380-1391	0163		
214-380-1392	0164		
214-380-1393	0165		
214-380-1394	0166		
214-380-1395	0167		
214-380-1396	0168		
214-380-1397	0169		
214-380-1398	0170		
214-380-1399	0171		
214-380-1400	0172		
214-380-1401	0173		
214-380-1402	0174		
214-380-1403	0175		
214-380-1404	0176		
214-380-1406	0177		
214-380-1407	0178		
214-380-1408	0179		
214-380-1409	0180		
214-380-1421	0181		
214-380-1411	0182		
214-380-1412	0183		
214-380-1413	0184		
214-380-1421	0185		
214-380-1415	0186		
214-380-1416	0187		
214-380-1417	0188		
214-380-1418	0189		
214-380-1419	0190		
214-380-1420	0191		
214-380-1421	0192		
214-380-1422	0193		
214-380-1423	0194		
214-380-1424	0195		
214-380-1425	0196		
214-380-1426	0197		
214-380-1427	0198		
214-380-1428	0199		
214-380-1429	0200		

Disaster Recovery Site B - Bosch 6600 and DMP SCS1

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL	SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
972-739-4902	0002			972-739-4942	0042		
972-739-4903	0003			972-739-4943	0043		
972-739-4904	0004			972-739-4944	0044		
972-739-4905	0005			972-739-4945	0045		
972-739-4906	0006			972-739-4946	0046		
972-739-4907	0007			972-739-4947	0047		
972-739-4908	0008			972-739-4948	0048		
972-739-4909	0009			972-739-4949	0049		
972-739-4910	0010			972-739-4950	0050		
972-739-4911	0011			972-739-4951	0051		
972-739-4912	0012			972-739-4952	0052		
972-739-4913	0013			972-739-4953	0053		
972-739-4914	0014			972-739-4954	0054		
972-739-4915	0015			972-739-4955	0055		
972-739-4916	0016			972-739-4956	0056		
972-739-4917	0017			972-739-4957	0057		
972-739-4918	0018			972-739-4958	0058		
972-739-4919	0019			972-739-4959	0059		
972-739-4920	0020			972-739-4960	0060		
972-739-4921	0021			972-739-4961	0061		
972-739-4922	0022			972-739-4962	0062		
972-739-4923	0023			972-739-4963	0063		
972-739-4924	0024			972-739-4964	0064		
972-739-4925	0025			972-739-4965	0065		
972-739-4926	0026			972-739-4966	0066		
972-739-4927	0027			972-739-4967	0067		
972-739-4928	0028			972-739-4968	0068		
972-739-4929	0029			972-739-4969	0069		
972-739-4930	0030			972-739-4970	0070		
972-739-4931	0031			972-739-4971	0071		
972-739-4932	0032			972-739-4972	0072		
972-739-4933	0033			972-739-4973	0073		
972-739-4934	0034			972-739-4974	0074		
972-739-4935	0035			972-739-4975	0075		
972-739-4936	0036			972-739-4976	0076		
972-739-4937	0037			972-739-4977	0077		
972-739-4938	0038			972-739-4978	0078		
972-739-4939	0039			972-739-4979	0079		
972-739-4940	0040			972-739-4980	DMP 1		
972-739-4941	0041			972-739-4981	DMP 2		

When completing this form, please use the following guidelines to ensure a smooth switch over if necessary: 1. Specify your local number for each receiver line that you intend to forward to us in an emergency under the "Your Phone#" column. If a phone line has a local and an 800#, list both numbers - we will use your local numbers to verify that call forwarding is working properly. 2. Under the "RR-LL or RL" column, specify the receiver and line number that is used for accounts that come in on that line in your monitoring database. For SIMS II sites this is the RR-LL-xxxxxx portion of the account number. For CSM sites this is the xxxx-RL portion after the account number.

NOTE: SIMS Disaster Recovery Site B is a virtual sites and therefore when entering Hunt Groups only the 1st line on the Hunt Group should need be to be forwarded. While this is a normal function it should be confirmed and/or tested with your telco provider. If you are forwarding a Virtual PRI from your site it is suggested that you contact your PRI provider and request clarification on how to request a forward of your PRI. SIMS will not use your DNIS information when PRI forwarding. In either case of forwarding POTS or PRI don't forget to enter your DNIS translation for Disaster Recovery in the DNIS Translation Table.

NOTE: The last two phone numbers on this site (in yellow) are NOT virtual. Calls to those numbers will go to the DMP SCS1 receiver directly with no roll-over or hunting to other lines possible. This means if you have one panel calling 972-739-4980 and a second call comes in for that number, the panel WILL get a busy signal. The rest of the numbers are all virtual to the Bosch 6600 receiver.

Disaster Recovery Site C - DSC System III

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL	SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
214-291-0305	0002						
214-291-0306	0003						
214-291-0307	0004						
214-291-0308	0005						
214-291-0309	0006						
214-291-0310	0007						
214-291-0311	0008						
214-291-0312	0009						

NOTE: Although Site C is a virtual site, it is only capable of 8 simultaneous phone calls because it uses several voice paths on another T1 PRI at SIMS. Sites that need more than eight lines normally, should list only the eight that you intend to forward to us if both Site A and Site B would be unavailable to you for any reason.

When completing this form, please use the following guidelines to ensure a smooth switch over if necessary: 1. Specify your local number for each receiver line that you intend to forward to us in an emergency under the "Your Phone#" column. If a phone line has a local and an 800#, list both numbers - we will use your local numbers to verify that call forwarding is working properly. 2. Under the "RR-LL or RL" column, specify the receiver and line number that is used for accounts that come in on that line in your monitoring database. For SIMS II sites this is the RR-LL-xxxxxx portion of the account number. For CSM sites this is the xxxx-RL portion after the account number.

NOTE: SIMS Disaster Recovery Site C is a virtual site and therefore when entering Hunt Groups only the 1st line on the Hunt Group should need be to be forwarded. While this is a normal function it should be confirmed and/or tested with your telco provider. If you are forwarding a Virtual PRI from your site it is suggested that you contact your PRI provider and request clarification on how to request a forward of your PRI. SIMS will not use your DNIS information when PRI forwarding. In either case of forwarding POTS or PRI don't forget to enter your DNIS translation for Disaster Recovery in the DNIS Translation Table.

Disaster Recovery Site D - OH2000 Receiver

SIMS Ph#	DNIS	Your Phone#	RR-LL or RL	SIMS Ph#	DNIS	Your Phone#	RR-LL or RL
214-242-1091	n/a						
214-242-1092	n/a						
214-242-1093	n/a						
214-242-1094	n/a						

NOTE: Although Site D's phone lines come in on a PRI, it is NOT configured as virtual. That means that if a call is on 214-242-1091 and a second call tries to come in, it will get a busy signal. There are no hunt groups or roll-overs possible the way it is configured.

NOTE: Line 1 and 2 are programmed so that ALL calls are treated as two way voice. This will cause the line to stay open for 30 seconds after a signal is received on them so the voice phone for that line can be picked up to continue the call.

When completing this form, please use the following guidelines to ensure a smooth switch over if necessary: 1. Specify your local number for each receiver line that you intend to forward to us in an emergency under the "Your Phone#" column. If a phone line has a local and an 800#, list both numbers - we will use your local numbers to verify that call forwarding is working properly. 2. Under the "RR-LL or RL" column, specify the receiver and line number that is used for accounts that come in on that line in your monitoring database. For SIMS II sites this is the RR-LL-xxxxxx portion of the account number. For CSM sites this is the xxx-RL portion after the account number.